

Care 300

Sanitary Facilities - Access and Mobility 6/3 litre Toilet Suite





A pedestal type 6/3 litre dual flush Care Pan installation designed to provide a raised seat height of between 460-480mm for accessible applications &. The versatility of the Care Pan makes it ideal for use by both the ambulant people with disabilities and wheel-chair users including wheeled commode chairs.

Further reference must be made to AS 1428.1-2009 with current amendments to determine circulation space, grab rail and installation requirements. Important:

The dimensions in this sheet may change with amendments to the standard.

Concorde Exposed Trap Care Pan 6 litre full flush washdown type. Pan:

Traps:

S and P-trap unvented only. Slope of P-trap 95° 6 litre options: S-trap Code No.614400, P-trap Code No.614450

Inlet: 50mm back inlet.

Cistern: Sovereign 2000 3 Star Cistern (wall fix version

Important: Working pressure minimum 30kPa to maximum 1000kPa flow pressure. Rain water tank compliant.

Round Care Button - Metal (supplied). Other button options sold separately. See **Buttons:**

section 16.01 for further details

Inlet Valve and Standard Bottom Entry Cistern - available as right hand inlet which is Overflow: interchangeable and incorporates Quietflow inlet valve. Internal overflow only.

> Caravelle Care seat suppplied, available in Caroma White (W), Sorrento Blue (SB) and Anthracite Grey (AG). See Section 15 - SEATS for further details. Reference to AS1428.1-2009 must be made in regards to luminance contrast when selecting the

Seats:

Position of For wheel chair access the installed pan must be a minimum of 800 ± 10 mm from the front of the pan to the finished wall and provide a seat height of 460 to 480mm. The projection requirements for people with ambulant disabilities is 610 to 660mm (refer to the Pan:

page 13.12).

Position of The underside of the cistern must be 600mm minimum from the finished floor. The the Cistern: push button height must be no greater than 1100mm from the finished floor.

Colours: Pan and cistern available in white only Installation:

The installation of the toilet suite shall be in accordance with the normal minimum drainline grade requirements in AS/NZS 3500.2.

All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its Dimensions:

products. The right is therefore reserved to vary specifications without notice.

800 ± 10mm Requirement

for wheel chair access only





Note: The projection requirements detailed on this illustration are for wheel chair access only. The projection requirements for people with ambulant disabilities is 610 to 660mm.

All height dimensions to underside of pan, make allowance for mortar bedding.

Mortar bedding: The pan should be fixed to the floor with a sand cement mixture of 3:1 to a depth of 60mm. When bedded the back of the foot of the pan should be approximately 10mm above the finished floor.

Screw fixing: The pan should be bedded with an acetic cured silicone sealant and fixed with corrosion resistant screws and pan guard washers. Use Caroma pan fixing kit. Code No.601150



